

FIG. 1




FIG. 2





FIG. 3








FIG. 5








FIG. 8




FIG. 9




FIG. 10





FIG. 11






FIG. 12




FIG. 14




FIG. 13

FIGURE 15




FIGURE 16a

U.S. Patent Application of Dan M. Mihai et al.
Mailed December 30, 2003
Attorney Docket No. EIS-5909F (1417G P 982)
Sheet 14 of 58




FIGURE 16b

BEST AVAILABLE COPY





FIGURE 17


U.S. Patent Application of Dan M. Mihai et al.
Mailed December 30, 2003
Attorney Docket No. EIS-5909F (1417G P 982)
Sheet 15 of 58



~ 1765

BEST AVAILABLE COPY

FIGURE 18




~ 1867

~ 1878


~ 1882

FIGURE 19



1903

FIGURE 20



2005

BEST AVAILABLE COPY

FIGURE 21

U.S. Patent Application of Dan M. Mihai et al.
Mailed December 30, 2003
Attorney Docket No. EIS-5909F (1417G P 982)
Sheet 17 of 58





FIGURE 22



BEST AVAILABLE COPY

FIGURE 23




FIGURE 24






FIGURE 25



BEST AVAILABLE COPY

FIGURE 25a



2521a

FIGURE 25b

Ninety-Three, James RN

Ninety-Nine, Douglas , Mr. (MDLOC1)
MDUnit1: MDRoom1 - MDBed1
Dr. Ninety, Susan

Mini-Chart Allergies (NKA)

All Scheduled PRN
Look Back Period hours

Acetaminophen Cap 500 MG
500 MG = 1 CAP
Oral
TID
Admin Date: 6-3 12:53
Patient Refused
more...

Back

~ 2521b

BEST AVAILABLE COPY

FIGURE 25c

Ninety-Three, James RN

Ninety-Nine, Douglas , Mr. (MDLOC1) -
MDUnit1: MDRoom1 - MDBed1
Dr. Ninety, Susan

Mini-Chart Allergies

Allergies & Ht/Wt Med Hx

Lab Results

Lab Test	Result	Range	Time	Date
POTASSIUM	3.1	3.6 - 5 mmol/L	Normal	5/16/2003 9:00:00 AM

Back

~ 2521c

FIGURE 26

~ 2623

Nurse A, RN Log Out

Patient, One - 101-B

Mini-Chart: Allergies (NKA)

< 10:19 - 12:19 >

SCHED 13

Time	Med	Last
<input checked="" type="checkbox"/> 11:30	MORPHINE SULFATE Continuous Infusion	12-9 2:00
<input type="checkbox"/> 13:30	Continuous Infusion (De) NR	SI
<input type="checkbox"/> 15:30	Continuous Infusion (De) NR	SI
<input type="checkbox"/> 17:30	Continuous Infusion (De) NR	SI

2625

BEST AVAILABLE COPY

FIGURE 26a

~ 2627

Nurse A, RN Log Out

Patient, One - 101-B

Mini-Chart: Allergies (NKA)

MA-Continuous Infusion
Dextrose 5% w/Sodium Chloride 0.45%
200 ML
Route: Intravenous
Flow Rate: 50 ML/H
Estimated Admin. Period: 4 Hours

~ 2629

⚠ Warning: Wear Gloves

ⓘ Show Edubyte info here

2631

RX not previously administered
Start Time: 6-2 14:54
End Time: 7-7 14:54

2633

FIGURE 27a

Ninety-Three, James RN Log Out

WORKFLOW INFUSION: STOP

Ninety-Six, Samuel , Mr. MDRoom1 -
MDBed1

Mini-Chart Allergies

Scan Item:

Continuous Infusion:
Dextrose Inj 20%
500 ML
Route: Intravenous Flow Rate:
125 ML/H
Estimated Administration Period:
4 Hours

Order has been Dxed

Back to Patient list

2727a

BEST AVAILABLE COPY

FIGURE 27b

Ninety-Three, James RN Log Out

WORKFLOW INFUSION: STOP

Ninety-Six, Samuel , Mr. MDRoom1 -
MDBed1

Mini-Chart Allergies

Continuous Infusion
Dextrose Inj 20%
500 ML
Route: Intravenous Flow Rate: 125
ML/H
Estimated Administration Period: 4
Hours

Please select a reason for Stop
Infusion


Stop Time[M/D/Y HH:MM]

Cancel

Back to Patient list

2727b

FIGURE 27c



BEST AVAILABLE COPY

FIGURE 27d




FIGURE 28

2835

4837

2839

Nurse A, RN Log Out
Patient, One - 101-B
Mini-Chart: Allergies (NKA)
- 10:19 - 12:19 -
SCHED 13

Time	Med	Last
13:30	MORPHINE SULFATE Continuous Infusion	12-9 2:00
13:30	Continuous Infusion (De) SI	
15:30	Continuous Infusion (De) SI	
17:30	Continuous Infusion (De) NR	

BEST AVAILABLE COPY

FIGURE 29

2941

4837

2943


2945

Nurse A, RN Log Out
Patient, One - 101-B
Mini-Chart: Allergies (NKA)

Missed Medication
Please select a reason for LATE:

Adjust schedule for:
MORPHINE SULFATE
Continuous Infusion
60 MG = 30 ML
Route: Injection
Flow Rate: 30 ML/H
Estimated Admin. Period: 1 Hour

FIGURE 30



BEST AVAILABLE COPY

FIGURE 31

The screenshot shows a software window titled "Nurse A, RN" with a "Log Out" button. The main title is "Patient, One - 101-B". Below it is a sub-header "Mini-Chart: Allergies (NKA)". A time range "10:19 - 12:19" is displayed above a table. The table has columns for "Time", "Med", and "Last". It lists four scheduled infusions:

Time	Med	Last
13:30	MORPHINE SULFATE Continuous Infusion	12-9 2:00
13:30	Continuous Infusion (De SI	
15:30	Continuous Infusion (De SI	
17:30	Continuous Infusion (De SI	

Handwritten annotations include "4857" pointing to the "NR" entry in the first row and "2839" pointing to the "SI" entry in the second row.

FIGURE 32

3235

3225

3249

Nurse A, RN Log Out

SCHED 15

Tim	Med	Last
<input checked="" type="checkbox"/> 11:30	MORPHINE SULFATE Continuous Infusion	12/9 2:00
<input type="checkbox"/> 13:30	Continuous Infusion (De SI NR	
<input type="checkbox"/> 15:30	Continuous Infusion (De SI NR	
<input type="checkbox"/> 17:30	Continuous Infusion (De SI NR	

Get Items

BEST AVAILABLE COPY

FIGURE 33

3353

3351

3355

Nurse A, RN Log Out

Patient, One - 101-B

Mini-Chart Allergies (NKA)

Scan Depot:

Search Items

Item	DepotUnit	Qty
Morphine Sulfate Inj 2 MG/ML QA	in other units	
Morphine Sulfate Inj 2 MG/ML QA	in other units	

Skip Scan Depot

FIGURE 34

3467

Nurse A, RN Log Out

Patient, One - 101-B

Mini-Chart: Allergies (NKA)

R Scan Item:

MORPHINE SULFATE
Continuous Infusion
60 MG = 30 ML
Route: Injection
Flow Rate: 30 ML/H
Estimated Admin. Period: 1 Hour

Quantity: ML(s)

Get: 30 ML

Warning: Wear Gloves

Show Edubyte info here

3465

BEST AVAILABLE COPY

FIGURE 35

3569

Nurse A, RN Log Out

Patient, One - 101-B

Mini-Chart: Allergies (NKA)

Scan Depot:

Scan code is invalid.

Search Items

Item	Depot	Unit	Qty
Morphine Sulfate Inj 2 MG/ML QA		in other units	
Morphine Sulfate Inj 2 MG/ML QA		in other units	

Skip Scan Depot

FIGURE 36

U.S. Patent Application of Dan M. Mihai et al.
 Mailed December 30, 2003
 Attorney Docket No. EIS-5909F (1417G P 982)
 Sheet 28 of 58

Nurse A, RN Log Out

Patient, One - 101-B

Mini-Chart Allergies (NKA)

Scan Patient:

If cannot admin, select a reason:

Not Req Due to Monitoring Result
 Patient Unavailable
 Refused

Waste/Return

3661 3657 3659 3663

BEST AVAILABLE COPY

FIGURE 37

Nurse, C RN Log Out

Patient Three - Mr. 100 - C

Mini-Chart Allergies

Verify Route, Line & Site

Rx Sodium Chloride 0.9%
 Continuous Infusion
 Rx Sodium Chloride 0.9%
 1000 ML
 Route: Intravenous Flow Rate: 50 ML/H
 Estimated Administration Period: 20 Hours

Please hang the bag,
 program the pump
 and record the following information
 but DO NOT start the pump channel until instructed:

Route: 3773


Line: 3775

Site: 3777

Compare Route

3771 3778 3773 3775 3777 4817

FIGURE 38




3881

~ 3882

3883

3884

FIGURE 38a



3885

4809

FIGURE 39





FIGURE 39a



BEST AVAILABLE COPY

FIGURE 40

4087

Nurse A, RN Log Out

Patient, One
Rm - Bed 101-B
Dr. One (111)111-1111 ext. 1

Pharm & Pump Comparison

Ancef 1 g, in Dextrose, 5 % 50 mL
run at 100 mL/hr

Pharm Label	Pump Settings
Rate	100 mL/hr

Please Verify with PHYSICIAN Order.
Then to accept the mismatch, press "Start" key on pump and then click "OK" below.
You can also reprogram the pump and then click "Compare again".

4825

OK Compare again

4817

FIGURE 41

4187

Nurse A, RN Log Out

Patient, One
Rm - Bed 101-B
Dr. One (111)111-1111 ext. 1

Pharm & Pump Comparison

Ancef 1 g, in Dextrose, 5 % 50 mL
run at 100 mL/hr

Pharm Label	Pump Settings
Rate	100 mL/hr

Cannot compare.
Press "Rate" key and COMPARE.

4817

COMPARE

BEST AVAILABLE COPY

FIGURE 42




FIGURE 43




FIGURE 44

U.S. Patent Application of Dan M. Mihai et al.
Mailed December 30, 2003
Attorney Docket No. EIS-5909F (1417G P 982)
Sheet 33 of 58






FIGURE 45a




BEST AVAILABLE COPY

FIGURE 45b



4501

FIGURE 46



4603

BEST AVAILABLE COPY

FIGURE 47




FIGURE 48

Icon	
4801	Icon: A small square with a dot in the center.
4803	Icon: A square with a circle inside and a diagonal line through it.
4805	Icon: An 'OK' button symbol.
4807	Icon: A small circle with a dot in the center.
4809	Icon: A small circle with a dot in the center.
4811	Icon: A small circle with a dot in the center.
4813	Icon: A square with a 'DC' symbol inside.
4815	Icon: A square with an 'RX' symbol inside.
4817	Icon: A square with a 'C compare' symbol inside.
4819	Icon: A square with a 'Refresh' symbol inside.
4821	Icon: A square with an 'Exit' symbol inside.
Icon	
4805	Icon: A circle with a diagonal line through it.
4823	Icon: Two horizontal lines.
4825	Icon: A stylized 'X' or 'N' shape.
4827	Icon: A question mark symbol.
4872	Icon: A small square with a tree-like symbol inside.
4874	Icon: A square with a diagonal line through it.
4833	Icon: A square with a diagonal line through it.
4835	Icon: A small square with a plus sign inside.

FIGURE 49




FIGURE 50

	Time	Med	Last
	14:39 NR	Digoxin Tab 0.125 MG 0.125 MG = 1 IAB Oral QD q MP ←	

5001

FIGURE 50a

The screenshot shows a software window titled "Monitoring Parameters". At the top, it says "Ninety-Three, James RN". Below that is a section for "Mini-Chart Allergies (NKA)". The main content area displays the following text:
Blood Pressure
Mm/Hg.
Supine

A handwritten number "5003" is written next to the top right corner of the window.

FIGURE 51

Ninety-Three, James RN [Log Out](#)

Eightytwo, Anthony , MDRoom1 -
MDDefaultBed

Mini-Chart Allergies

ACETAMINOPHEN/CODEINE #4
Acetaminophen w/ Codeine Tab
300-60 MG 60 MG = 1 TAB Oral
QID

Drawer 1, Bin 05

Count before the removal of
medication(first count)
Qty on hand:

TAB(s)

Count

[Back to Patient List](#)
[Re-open drawer](#)

5101

FIGURE 52





FIG. 53



First Central Computer Operating System




FIGURE 54




FIG. 55A




FIG. 55B




FIG. 55C




FIG. 56




FIG. 57A




FIG. 57B




FIG. 58




FIG. 59




FIG. 60




FIG. 61






FIG. 62








FIG. 65




FIG. 66




FIG. 67




FIG. 68




FIG. 69